MONTHLY NOTICES

OF THE

ROYAL ASTRONOMICAL SOCIETY

CONTAINING

PAPERS PUBLISHED IN THE PERIOD
1977 JULY TO SEPTEMBER

VOL. 180

EDITORIAL BOARD

DR D. H. P. JONES, ROYAL GREENWICH OBSERVATORY
DR C. JORDAN, DEPARTMENT OF THEORETICAL PHYSICS, OXFORD
DR M. S. LONGAIR, CAVENDISH LABORATORY, CAMBRIDGE
PROFESSOR B. E. J. PAGEL, ROYAL GREENWICH OBSERVATORY
DR J. R. SHAKESHAFT, MULLARD RADIO ASTRONOMY OBSERVATORY, CAMBRIDGE
PROFESSOR R. J. TAYLER, UNIVERSITY OF SUSSEX ASTRONOMY CENTRE

Published for the Royal Astronomical Society by
Blackwell Scientific Publications
Oxford London Edinburgh Melbourne

AUTHOR INDEX

PAGE

Ables, J. G., Hamilton, P. A., McCulloch, P. M. and Komesaroff, M. M., Polarization characteristics of southern pulsars – I. 400-MHz observations 1

Aiello, S., Mencaraglia, F., Blanco, A., Borghesi, A. and Bussoletti, E., Grain temperatures and infrared emission from interstellar dust clouds 323

Allen, D. A., Danziger, I. J., Fosbury, R. A. E., Murdin, P. G., Penston, M. V., Peterson, B. A., Wampler, E. J., Webster, B. L., Whelan, J. A. J. and Ward, M. J., Spectroscopic observation of the X-ray nova A0620 – 00 657

Allen, D. A., Purton, C. R., Feldman, P. A. and Wright, A. E., The spectrum of H1–36 (= 3U 1746 – 37?) at radio wavelengths 97P

Baggaley, W. J., The mass distribution of large meteoroids 89

Bailey, J. A., Mason, K. O. and Parkes, G. E., High speed photometry of AM Her 35P

Balister, M., Batchelor, R. A., Haynes, R. F., Knowles, S. H., McCulloch, M. G., Robinson, B. J., Wellington, K. J. and Yabsley, D. E., Observations of SiO masers at 43 GHz with the Parkes radio telescope 415

Balister, M., McGee, R. X. and Newton, L. M., Interstellar cyanoacetylene – $J = 2 \rightarrow 1$, $J = 4 \rightarrow 3$ transitions 585

Bassez, M. P., Ottrey, A. L., Winkler, D., Robinson, B. J., Blackman, G. L., Brown, R. D. and Godfrey, P. D., Detection of $J = 2 \rightarrow 1$ emission of acetonitrile (CH_3CN) in Sgr B2 . . . . . 1P

Batchelor, R. A., Wellington, K. J., Goss, W. M., Haynes, R. F. and Knowles, S. H., Three unusual wide-spectrum H_2O sources 51P

Batchelor, R. A. (*see* Balister, M.)

Bentley, M. and Stannard, D., The variability of flat-spectrum radio sources at 962 MHz 703

Bessell, M. S., Wickramasinghe, D. T. and Whelan, J. A. J., A hot magnetic DA white dwarf with a field of $2–4 \times 10^7$ gauss 373

Blackman, G. L., Brown, R. D., Godfrey, P. D., Gunn, H. I. and Storey, J. W. V., Observation of $J = 1 \rightarrow 0$ emission from $H^{15}NC$ 87P

Blackman, G. L., Godfrey, P. D., Brown, R. D., Gunn, H. I. and Storey, J. W. V., Detection of interstellar DNC: difficulties of chemical equilibrium hypothesis for enrichment 83P

Blackman, G. L. (*see* Bassez, M. P.)

Blackwell, D. E. and Shallis, M. J., Stellar angular diameters from infrared photometry. Application to Arcturus and other stars; with effective temperatures 177

Blackwell, D. E. and Willis, R. B., Stellar gravities from metallic line profiles, with application to Arcturus. The effective temperature of Arcturus 169

Blackwell, K. C., Equinox – position and motion during 250 years 65P

Blanco, A. (*see* Aiello, S.)

Blandford, R. D. and McKee, C. F., Radiation from relativistic blast waves in quasars and active galactic nuclei 343

Boksenberg, A., Willis, A. J. and Searle, L., Observations of three Wolf–Rayet stars in M33 . . . . . 15P

Borghesi, A. (*see* Aiello, S.)

Brand, P. W. J. L., Longmore, A. J., Hawarden, T. G. and Williams, P. M., The young cluster NGC 5367 and A1353 – 40 709

Brooks, J. W., McGee, R. X. and Newton, L. M., Cyanodiacetylene in W Hydrae 91P

Brown, A. and Hill, P. W., A spectroscopic investigation of two DC white dwarf candidates 31P

Brown, R. D. (*see* Bassez, M. P.)

Brown, R. D. (*see* Blackman, G. L.)

Buckley, R., Pulsar magnetospheres with arbitrary geometry in the force-free approximation 125

Burch, S. F., The variation of spectral index across the radio galaxy 3C 452 623

Burman, R. R., Remarks on black hole magnetospheres 227

Bussoletti, E. (*see* Aiello, S.)

Cannon, R. D., Hawarden, T. G. and Tritton, S. B., A new Sculptor-type dwarf elliptical galaxy in Carina 81P

Carvalho, J. C. and Haar, ter, D. On the influence of cosmic-ray diffusion on the γ-ray flux from the Galactic Plane 45P

Catchpole, R. M. and Feast, M. W., The infrared fluxes of Ba II stars 61P

Chitre, S. M. and Narlikar, J. V., Applications of statistical techniques to the angular size–flux density relation for extragalactic radio sources 525

Clark, D. H., Crawford, D. F. and Stephenson, F. R., The supernova of AD 1006 567

Cohen, M. and Kuhi, L., Wolf–Rayet stars – VII. Optical spectropolarimetry of WC9 stars 37

PAGE

Connolly, L. P. and Tifft, W. G., Magellanic Cloud investigations – V. The LMC blue cluster NGC 1854 581
Cooke, B. A., Ward, M. J., Penston, M. V., Haynes, R. F. and Maccacaro, T., X-ray, optical and radio data for the cluster of galaxies Klemola 44 465
Cowie, L. L., An investigation of the stability of the Bondi–Hoyle model of accretion flow 491
Crawford, D. F. and Murdoch, H. S., Search for radio emission from high-redshift optical QSOs. . . 41P
Crawford, D. F. (*see* Clark, D. H.)
Danziger, I. J. (*see* Allen, D. A.)
Davies, R. D. and Wright, A. E., A tidal origin for the Magellanic Stream 71
Dearborn, D. S. and Lin, D. N. C., Viscosity in accretion discs and HD 101584. 141
Donnison, J. R. and Williams, I. P., The effects of a resisting medium on protoplanetary orbits . . . 281
Donnison, J. R. and Williams, I. P., The resistive effect of the solar wind on the orbits of solid bodies in the solar system 289
Dormand, J. R. and Woolfson, M. M., Interaction in the early solar system 243
Dyer, C. C., Optical scalars and the spherical gravitational lens 231
Fabian, A. C. and Nulsen, P. E. J., Subsonic accretion of cooling gas in clusters of galaxies. 479
Fabian, A. C. and Pringle, J. E., Nova Cygni 1975: wind and variations 749
Fahr, H. J. and Weidner, B., Gas evaporation from collision-determined planetary exospheres . . . 593
Fairall, A. P., 150 southern compact and bright-nucleus galaxies 391
Feldman, P. A. (*see* Allen, D. A.)
Feast, M. W. and Catchpole, R. M., The infrared fluxes of Ba II stars. 61P
Fernie, J. D., An extension of a geometric method for finding cepheid distances. 339
Fitch, J. P. and Lyttleton, R. A., Cosmological change of G and the structure of the Earth. 471
Fosbury, R. A. E., Mebold, U. and Goss, W. M., Neutral hydrogen in the Cartwheel 11P
Fosbury, R. A. E., Penston, M. V., Ward, M. J. and Wilson, A. S., A spectroscopic and radio survey of 'Tololo' galaxies 19
Fosbury, R. A. E. (*see* Allen, D. A.)
Freeman, C. G., McEwan, M. J. and Liddy, J. P., Laboratory investigation of some ion–molecule reactions related to cyanide chemistry in dense interstellar clouds 683
Giles, K., Intensity ratios of Brackett to Balmer lines of hydrogen in gaseous nebulae. 57P
Godfrey, P. D. (*see* Bassez. M. P.)
Godfrey, P. D. (*see* Blackman, G. L.)
Goss, W. M. (*see* Batchelor, R. A.)
Goss, W. M. (*see* Fosbury, R. A. E.)
Griffiths, R. E. and Seward, F. D., Observations of the LMC X-ray sources with the *Ariel V* Sky Survey Instrument 75P
Gunn, H. I. (*see* Blackman, G. L.)
Hamilton, P. A. (*see* Ables, J. G.)
Hanes, D. A., Globular clusters and the Virgo cluster distance modulus 309
Hannay, J. H., Hargrave, P. J. and Scheuer, P. A. G., A note on the interpretation of polarization maps 163
Hargrave, P. J. (*see* Hannay, J. H.)
Hawarden, T. G. (*see* Brand, P. W. J. L.)
Hawarden, T. G. (*see* Cannon, R. D.)
Haynes, R. F. (*see* Balister, M.)
Haynes, R. F. (*see* Batchelor, R. A.)
Haynes, R. F. (*see* Cooke, B. A.)
Hill, P. W. and Brown, A., A spectroscopic investigation of two DC white dwarf candidates 31P
Hill, P. W. and Lynas-Gray, A. E., *UBV* photometry and MK spectral classification of northern early-type stars at intermediate galactic latitudes 691
Hoessel, J., Melnick, J. and White, S. D. M., Photoelectric surface photometry of the Coma cluster 207
Huckle, H. E., Mason, K. O., White, N. E., Sanford, P. W., Maraschi, L., Tarenghi, M. and Tapia, S., Discovery of two periodic X-ray pulsators. 21P
Hut, P., Charged black holes and phase transitions 379
Hyland, A. R. and Robinson, G., Emission and absorption in circumstellar dust shells: an isothermal approach 495
Jenkins, C. J. and McEllin, M., A relationship between structure and luminosity for extragalactic radio sources. 219

PAGE

Jones, B. J. T., The evolution of cosmic turbulence through the period of recombination. 151
Kaye, A. L., Detective quantum efficiency gains compared with speed gains for hypersensitized astronomical plates 147
Keavey, P. M. and Penston, M. V., The spectrum of the T Tauri star LkHα 120. 407
Kesteven, M. J. and Pedlar, A., Hydrogen recombination lines at decimetric wavelengths from the direction of the Galactic Centre 731
Knowles, S. H. (*see* Balister, M.)
Knowles, S. H. (*see* Batchelor, R. A.)
Komesaroff, M. M. (*see* Ables, J. G.)
Kuhi, L. and Cohen, M., Wolf–Rayet stars – VII. Optical spectropolarimetry of WC9 stars 37
Kukarkin, B. V., Period changes of UX Ursae Majoris 5P
Liang, E. P. T., On the binding energy of primeval fluctuations. 117
Liddy, J. P. (*see* Freeman, C. G.)
Lin, D. N. C. and Dearborn, D. S., Viscosity in accretion discs and HD 101584 141
Little, L. T., White, G. J. and Riley, P. W., Time variations of interstellar water masers: strong sources in H II regions 639
Longmore, A. J. (*see* Brand, P. W. J. L.)
Lynas-Gray, A. E. and Hill, P. W., UBV photometry and MK spectral classification of northern early-type stars at intermediate galactic latitudes 691
Lyttleton, R. A. and Fitch, J. P., Cosmological change of *G* and the structure of the Earth. 471
Maccacaro, T. (*see* Cooke, B. A.)
McCulloch, M. G. (*see* Balister, M.)
McCulloch, P. M. (*see* Ables, J. G.)
McEllin, M. and Jenkins, C. J., A relationship between structure and luminosity for extragalactic radio sources. 219
McEwan, M. J. (*see* Freeman, C. G.)
McGee, R. X. (*see* Balister, M.)
McGee, R. X. (*see* Brooks, J. W.)
McKee, C. F. and Blandford, R. D., Radiation from relativistic blast waves in quasars and active galactic nuclei 343
Maraschi, L. (*see* Huckle, H. E.)
Markellos, V. V., Bifurcations of plane with three-dimensional asymmetric periodic orbits in the restricted three-body problem. 103
Mason, K. O. (*see* Bailey, J. A.)
Mason, K. O. (*see* Huckle, H. E.)
Masson, C. R. and Wall, J. V., The cosmological evolution of flat-spectrum quasars 193
Mebold, U. (*see* Fosbury, R. A. E.)
Melnick, J. (*see* Hoessel, J.)
Mencaraglia, F. (*see* Aiello, S.)
Meston, C. J. and Pike, C. D., On the nature of the variables in M13 613
Murdin, P. G. (*see* Allen, D. A.)
Murdoch, H. S. and Crawford, D. F., Search for radio emission from high-redshift optical QSOs. . . 41P
Murray, C. A. and Wyckoff, S., Proper motion of the Crab pulsar 717
Narlikar, J. V. and Chitre, S. M., Applications of statistical techniques to the angular size–flux density relation for extragalactic radio sources 525
Needham, J. D., Sanchez Magro, C., Phillips, J. P. and Selby, M. J., Observations of β Persei at 4.8 μm 461
Newton, L. M. (*see* Balister, M.)
Newton, L. M. (*see* Brooks, J. W.)
Nulsen, P. E. J. and Fabian, A. C., Subsonic accretion of cooling gas in clusters of galaxies. 479
Ottrey, A. L. (*see* Bassez, M. P.)
Parkes, G. E. (*see* Bailey, J. A.)
Pedlar, A. and Kesteven, M. J., Hydrogen recombination lines at decimetric wavelengths from the direction of the Galactic Centre. 731
Penston, M. V., Is the emission line redshift the redshift? 27P
Penston, M. V. and Keavey, P. M., The spectrum of the T Tauri star LkHα 120. 407
Penston, M. V. (*see* Allen, D. A.)
Penston, M. V.,(*see* Cooke, B. A.)
Penston, M. V. (*see* Fosbury, R. A. E.)

PAGE

Peterson, B. A. (*see* Allen, D. A.)
Phillips, J. P. (*see* Needham, J. D.)
Pike, C. D. and Meston, C. J., On the nature of the variables in M13 613
Piran, T., Secondary winds and evaporation from accretion discs. 45
Pringle, J. E. and Fabian, A. C., Nova Cygni 1975: wind and variations 749
Purton, C. R. (*see* Allen, D. A.)
Readhead, A. C. S. and Scott, M. A., The low-frequency structure of powerful radio sources and limits to departures from equipartition. 539
Riley, P. W. (*see* Little, L. T.)
Robinson, B. J. (*see* Balister, M.)
Robinson, B. J. (*see* Bassez, M. P.)
Robinson, G. and Hyland, A. R., Emission and absorption in circumstellar dust shells: an isothermal approach 495
Sanchez Magro, C. (*see* Needham, J. D.)
Sanford, P. W. (*see* Huckle, H. E.)
Scheuer, P. A. G. (*see* Hannay, J. H.)
Schwartz, P. R. amd Spencer, J. H., Observations of radio stars at 3.3 mm 297
Scott, M. A. and Readhead, A. C. S., The low-frequency structure of powerful radio sources and limits to departures from equipartition. 539
Searle, L. (*see* Boksenberg, A.)
Selby, M. J. (*see* Needham, J. D.)
Seward, F. D. and Griffiths, R. E., Observations of the LMC X-ray sources with the *Ariel V* Sky Survey Instrument 75P
Shallis, M. J. and Blackwell, D. E., Stellar angular diameters from infrared photometry. Application to Arcturus and other stars; with effective temperatures 177
Simon, A. J. B., The origin of the extragalactic background radiation between 0.5 and 400 MHz . . 429
Sinclair, A. T., The orbits of Tethys, Dione, Rhea, Titan and Iapetus 447
Spencer, J. H. and Schwartz, P. R., Observations of radio stars at 3.3 mm. 297
Stamford, P. A. and Watson, R. D., Observational characteristics of simple radial and non-radial β Cephei models 551
Stannard, D. and Bentley, M., The variability of flat-spectrum radio sources at 962 MHz 703
Stephenson, F. R. (*see* Clark, D. H.)
Stickland, D. J., The effects of stellar rotation on measurements from Coudé spectrograms 675
Stobie, R. S., On the masses and radii of double-mode cepheids 631
Storey, J. V. W. (*see* Blackman, G. L.)
Tapia, S. (*see* Huckle, H. E.)
Tarenghi, M. (*see* Huckle, H. E.)
ter Haar, D. and Carvalho, J. C., On the influence of cosmic-ray diffusion on the γ-ray flux from the Galactic Plane. 45P
Thackeray, A. D., Spectra of the low-excitation nebulosities around AG Carinae and HD 138403 . . 95
Tifft, W. G. and Connolly, L. P., Magellanic Cloud investigations – V. The LMC blue cluster NGC 1854 401
Tritton, S. B. (*see* Cannon, R. D.)
Vidal, N. V. and Wickramasinghe, D. T., The velocity dispersion of the X-ray cluster of galaxies in Centaurus (3U 1247 – 41) 305
Wall, J. V. and Masson, C. R., The cosmological evolution of flat-spectrum quasars 193
Wampler, E. J. (*see* Allen, D. A.)
Ward, M. J. (*see* Allen, D. A.)
Ward, M. J. (*see* Cooke, B. A.)
Ward, M. J. (*see* Fosbury, R. A. E.)
Watson, R. D. and Stamford, P. A., Observational characteristics of simple radial and non-radial β Cephei models 551
Webster, B. L. (*see* Allen, D. A.)
Weidenschilling, S. J., Aerodynamics of solid bodies in the solar nebula 57
Weidner, B. and Fahr, H. J., Gas evaporation from collision-determined planetary exospheres 593
Wellington, K. J. (*see* Balister, M.)
Wellington, K. J. (*see* Batchelor, R. A.)
Whelan, J. A. J. (*see* Allen, D. A.)

PAGE

Whelan, J. A. J. (*see* Bessell, M. S.)
White, G. J. (*see* Little, L. T.)
White, N. E. (*see* Huckle, H. E.)
White, S. D. M. (*see* Hoessel, J.)
Whittet, D. C. B., The dependence of the extinction ratio on galactic longitude 29
Wickramasinghe, D. T. and Vidal, N. V., The velocity dispersion of the X-ray cluster of galaxies in Centaurus (3U 1247 – 41) 305
Wickramasinghe, D. T. (*see* Bessell, M. S.)
Williams, I. P. and Donnison, J. R., The effects of a resisting medium on protoplanetary orbits . . . 281
Williams, P. M. (*see* Brand, P. W. J. L.)
Willis, A. J. (*see* Boksenberg, A.)
Willis, R. B. and Blackwell, D. E., Stellar gravities from metallic line profiles, with application to Arcturus. The effective temperature of Arcturus 169
Wilson, A. S. (*see* Fosbury, R. A. E.)
Winkler, D. (*see* Bassez, M. P.)
Woolfson, M. M. and Dormand, J. R., Interactions in the early solar system 243
Wright, A. E. and Davies, R. D., A tidal origin for the Magellanic Stream 71
Wright, A. E. (*see* Allen, D. A.)
Wyckoff, S. and Murray, C. A., Proper motion of the Crab pulsar 717
Wynne, C. G., Shorter than a Schmidt 485
Yabsley, D. E. (*see* Balister, M.)

SUBJECT INDEX

Accretion and accretion discs

Secondary winds and evaporation from accretion discs, *T. Piran* 45
Viscosity in accretion discs and HD 101584, *D. S. Dearborn and D. N. C. Lin* 141
Subsonic accretion of cooling gas in clusters of galaxies, *A. C. Fabian and P. E. J. Nulsen* 479
An investigation of the stability of the Bondi–Hoyle model of accretion flow, *Lennox L. Cowie* . . 491

Astrometry

Equinox – position and motion during 250 years, *K. C. Blackwell* 65P

Black holes

Remarks on black hole magnetospheres, *R. R. Burman* 227
Charged black holes and phase transitions, *P. Hut* 379

Celestial mechanics

A tidal origin for the Magellanic Stream, *R. D. Davies and Alan E. Wright* 71
Bifurcations of plane with three-dimensional asymmetric periodic orbits in the restricted three-body problem, *V. V. Markellos* 103
The orbits of Tethys, Dione, Rhea, Titan and Iapetus, *A. T. Sinclair* 447
Equinox – position and motion during 250 years, *K. C. Blackwell* 65P

Cosmic rays

On the influence of cosmic-ray diffusion on the γ-ray flux from the Galactic Plane, *Joel C. Carvalho and D. ter Haar* 45P

Cosmology

On the binding energy of primeval fluctuations, *E. P. T. Liang* 117
The evolution of cosmic turbulence through the period of recombination, *Bernard J. T. Jones* 151

PAGE

The cosmological evolution of flat-spectrum quasars, *C. R. Masson and J. V. Wall* 193
The origin of the extragalactic background radiation between 0.5 and 400 MHz, *A. J. B. Simon* . . . 429
Cosmological change of G and the structure of the Earth, *R. A. Lyttleton and J. P. Fitch* 471
Applications of statistical techniques to the angular size–flux density relation for extragalactic radio sources, *J. V. Narlikar and S. M. Chitre* 525

Data reduction

A note on the interpretation of polarization maps, *P. A. G. Scheuer, J. H. Hannay and P. J. Hargrave* 163

Distance scale

Globular clusters and the Virgo cluster distance modulus, *David A. Hanes* 309
An extension of a geometric method for finding cepheid distances, *J. D. Fernie* 339

Earth

Cosmological change of G and the structure of the Earth, *R. A. Lyttleton and J. P. Fitch* 471

Galactic centre

Hydrogen recombination lines at decimetric wavelengths from the direction of the Galactic Centre, *M. J. Kesteven and A. Pedlar* 731
Detection of $J = 2 \rightarrow 1$ emission of acetonitrile (CH_3CN) in Sgr B2, *G. L. Blackman, R. D. Brown, P. D. Godfrey, M. P. Bassez, A. L. Ottrey, D. Winkler and B. J. Robinson* 1P

Galaxies

A spectroscopic and radio survey of 'Tololo' galaxies, *M. V. Penston, R. A. E. Fosbury, M. J. Ward and A. S. Wilson* 19
Photoelectric surface photometry of the Coma cluster, *Jorge Melnick, Simon D. M. White and John Hoessel* 207
Radiation from relativistic blast waves in quasars and active galactic nuclei, *R. D. Blandford and C. F. McKee* 343
150 southern compact and bright-nucleus galaxies, *A. P. Fairall* 391
The variation of spectral index across the radio galaxy 3C 452, *S. F. Burch* 623
Neutral hydrogen in the Cartwheel, *U. Mebold, W. M. Goss and R. A. E. Fosbury* 11P
Observations of three Wolf–Rayet stars in M33, *A. Boksenberg, A. J. Willis and L. Searle* 15P
A new Sculptor-type dwarf elliptical galaxy in Carina, *R. D. Cannon, T. G. Hawarden and S. B. Tritton* 00P

Galaxy clusters

Photoelectric surface photometry of the Coma cluster, *Jorge Melnick, Simon D. M. White and John Hoessel* 207
The velocity dispersion of the X-ray cluster of galaxies in Centaurus (3U 1247 – 41), *N. V. Vidal and D. T. Wickramasinghe* 305
Globular clusters and the Virgo cluster distance modulus, *David A. Hanes* 309
X-ray, optical and radio data for the cluster of galaxies Klemola 44, *T. Maccacaro, B. A. Cooke, M. J. Ward, M. V. Penston and R. F. Haynes* 465
Subsonic accretion of cooling gas in clusters of galaxies, *A. C. Fabian and P. E. J. Nulsen* 479

Gamma-ray astronomy

On the influence of cosmic-ray diffusion on the γ-ray flux from the Galactic Plane, *Joel C. Carvalho and D. ter Haar* 45P

PAGE

Infrared astronomy

Stellar angular diameters from infrared photometry. Application to Arcturus and other stars; with effective temperatures, *D. E. Blackwell and M. J. Shallis* 177
Grain temperatures and infrared emission from interstellar dust clouds, *S. Aiello, F. Mencaraglia, A. Blanco, A. Borghesi and E. Bussoletti* 323
Observations of β Persei at 4.8 μm, *C. Sánchez Magro, J. D. Needham, J. P. Phillips and M. J. Selby* 461
The infrared fluxes of Ba II stars, *M. W. Feast and R. M. Catchpole* 61P

Instruments and techniques

Detective quantum efficiency gains compared with speed gains for hypersensitized astronomical plates, *A. L. Kaye* 147
Shorter than a Schmidt, *C. G. Wynne* 485

Intergalactic medium

The evolution of cosmic turbulence through the period of recombination, *Bernard J. T. Jones* 151
Subsonic accretion of cooling gas in clusters of galaxies, *A. C. Fabian and P. E. J. Nulsen* 479

Interstellar medium

The dependence of the extinction ratio on galactic longitude, *D. C. B. Whittet* 29
Grain temperatures and infrared emission from interstellar dust clouds, *S. Aiello, F. Mencaraglia, A. Blanco, A. Borghesi and E. Bussoletti* 323
Interstellar cyanoacetylene – $J = 2 \rightarrow 1$, $J = 4 \rightarrow 3$ transitions, *R. X. McGee, M. Balister and Lynette M. Newton* 585
Time variations of interstellar water masers: strong sources in H II regions, *L. T. Little, G. J. White and P. W. Riley* 639
Laboratory investigation of some ion–molecule reactions related to cyanide chemistry in dense interstellar clouds, *J. P. Liddy, C. G. Freeman and M. J. McEwan* 683
Three unusual wide-spectrum H_2O sources, *W. M. Goss, R. F. Haynes, S. H. Knowles, R. A. Batchelor and K. J. Wellington* 51P
Observation of $J = 1 \rightarrow 0$ emission from $H^{15}NC$, *R. D. Brown, P. D. Godfrey, H. I. Gunn and G. L. Blackman and J. M. V. Storey* 87P
Detection of interstellar DNC: difficulties of chemical equilibrium hypothesis for enrichment, *P. D. Godfrey, R. D. Brown, H. I. Gunn, G. L. Blackman and J. W. V. Storey* 83P

Laboratory astrophysics

Laboratory investigation of some ion–molecule reactions related to cyanide chemistry in dense interstellar clouds, *J. P. Liddy, C. G. Freeman and M. J. McEwan* 683

Magellanic Clouds

A tidal origin for the Magellanic Stream, *R. D. Davies and Alan E. Wright* 71
Magellanic Cloud investigations – V. The LMC blue cluster NGC 1854, *L. P. Connolly and W. G. Tifft* 401
Observations of the LMC X-ray sources with the *Ariel V* Sky Survey Instrument, *R. E. Griffiths and F. D. Seward* 75P

Meteors

The mass distribution of large meteoroids, *W. J. Baggaley* 89

Nebulae – gaseous

Spectra of the low-excitation nebulosities around AG Carinae and HD 138403, *A. D. Thackeray* . . 95

PAGE

Observations of SiO masers at 43 GHz with the Parkes radio telescope, *M. Balister, R. A. Batchelor, R. F. Haynes, S. H. Knowles, M. G. McCulloch, B. J. Robinson, K. J. Wellington and D. E. Yabsley* 415
Interstellar cyanoacetylene – $J = 2 \rightarrow 1$, $J = 4 \rightarrow 3$ transitions, *R. X. McGee, M. Balister and Lynette M. Newton* 585
Time variations of interstellar water masers: strong sources in H II regions, *L. T. Little, G. J. White and P. W. Riley* 639
Laboratory investigation of some ion–molecule reactions related to cyanide chemistry in dense interstellar clouds, *J. P. Liddy, C. G. Freeman and M. J. McEwan* 683
Intensity ratios of Brackett to Balmer lines of hydrogen in gaseous nebulae, *K. Giles* 57P
Three unusual wide-spectrum H_2O sources, *W. M. Goss, R. F. Haynes, S. H. Knowles, R. A. Batchelor and K. J. Wellington* 51P

Nebulae – planetary

The spectrum of H1–36 (= 3U 1746 – 37?) at radio wavelengths, *C. R. Purton, D. A. Allen, P. A. Feldman and A. E. Wright* 97P

Photometry – non-stellar

Photoelectric surface photometry of the Coma cluster, *Jorge Melnick, Simon D. M. White and John Hoessel* 207

Physical processes

Secondary winds and evaporation from accretion discs, *Tsvi Piran* 45
Aerodynamics of solid bodies in the solar nebula, *S. J. Weidenschilling* 57
On the binding energy of primeval fluctuations, *E. P. T. Liang* 117
Pulsar magnetospheres with arbitrary geometry in the force-free approximation, *R. Buckley* 125
Viscosity in accretion discs and HD 101584, *D. S. Dearborn and D. N. C. Lin* 141
The evolution of cosmic turbulence through the period of recombination, Bernard *J. T. Jones* 151
Remarks on black hole magnetospheres, *R. R. Burman* 227
Optical scalars and the spherical gravitational lens, *C. C. Dyer* 231
Interactions in the early solar system, *J. R. Dormand and M. M. Woolfson* 243
The effects of a resisting medium on protoplanetary orbits, *J. R. Donnison and I. P. Williams* 281
The resistive effect of the solar wind on the orbits of solid bodies in the solar system, *J. R. Donnison and I. P. Williams* 289
Radiation from relativistic blast waves in quasars and active galactic nuclei, *R. D. Blandford and C. F. McKee* 343
Charged black holes and phase transitions, *P. Hut* 379
Subsonic accretion of cooling gas in clusters of galaxies, *A. C. Fabian and P. E. J. Nulsen* 479
An investigation of the stability of the Bondi–Hoyle model of accretion flow, *Lennox L. Cowie* . . 491
Gas evaporation from collision-determined planetary exospheres, *H. J. Fahr and B. Weidner* 593
Laboratory investigation of some ion–molecule reactions related to cyanide chemistry in dense interstellar clouds, *J. P. Liddy, C. G. Freeman and M. J. McEwan* 683
Nova Cygni 1975; wind and variations, *A. C. Fabian and J. E. Pringle* 749

Planets

The effects of a resisting medium on protoplanetary orbits, *J. R. Donnison and I. P. Williams* 281
The resistive effect of the solar wind on the orbits of solid bodies in the solar system, *J. R. Donnison and I. P. Williams* 289
The orbits of Tethys, Dione, Rhea, Titan and Iapetus, *A. T. Sinclair* 447
Gas evaporation from collision-determined planetary exospheres, *H. J. Fahr and B. Weidner* 593

PAGE

Polarization of starlight

Wolf–Rayet stars – VII. Optical spectropolarimetry of WC9 stars, *Martin Cohen and Leonard V. Kuhi* 37

Pulsars

Polarization characteristics of southern pulsars – I. 400-MHz observations, *P. A. Hamilton, P. M. McCulloch, J. G. Ables and M. M. Komesaroff* 1
Pulsar magnetospheres with arbitrary geometry in the force-free approximation, *R. Buckley* 125
Proper motion of the Crab pulsar, *S. Wyckoff and C. A. Murray* 717

Quasars

The cosmological evolution of flat-spectrum quasars, *C. R. Masson and J. V. Wall* 193
Radiation from relativistic blast waves in quasars and active galactic nuclei, *R. D. Blandford and C. F. McKee* 343
Is the emission line redshift the redshift?, *M. V. Penston* 27P
Search for radio emission from high-redshift optical QSOs, *H. S. Murdoch and D. F. Crawford* . . . 41P

Radiative transfer

Optical scalars and the spherical gravitational lens, *C. C. Dyer* 231
Emission and absorption in circumstellar dust shells: an isothermal approach, *G. Robinson and A. R. Hyland* 495

Radio astronomy

Polarization characteristics of southern pulsars – I. 400-MHz observations, *P. A. Hamilton, P. M. McCulloch, J. G. Ables and M. M. Komesaroff* 1
A spectroscopic and radio survey of 'Tololo' galaxies, *M. V. Penston, R. A. E. Fosbury, M. J. Ward and A. S. Wilson* 19
A note on the interpretation of polarization maps, *P. A. G. Scheuer, J. H. Hannay and P. J. Hargrave* 163
The cosmological evolution of flat-spectrum quasars, *C. R. Masson and J. V. Wall* 193
A relationship between structure and luminosity for extragalactic radio sources, *C. J. Jenkins and M. McEllin* 219
Observations of radio stars at 3.3 mm, *P. R. Schwartz and J. H. Spencer* 297
Observations of SiO masers at 43 GHz with the Parkes radio telescope, *M. Balister, R. A. Batchelor, R. F. Haynes, S. H. Knowles, M. G. McCulloch, B. J. Robinson, K. J. Wellington and D. E. Yabsley* 415
The origin of the extragalactic background radiation between 0.5 and 400 MHz, *A. J. B. Simon* . . . 429
X-ray, optical and radio data for the cluster of galaxies Klemola 44, *T. Maccacaro, B. A. Cooke, M. J. Ward, M. V. Penston and R. F. Haynes* 465
Applications of statistical techniques to the angular size–flux density relation for extragalactic radio sources, *J. V. Narlikar and S. M. Chitre* 525
The low-frequency structure of powerful radio sources and limits to departures from equipartition, *M. A. Scott and A. C. S. Readhead* 539
Interstellar cyanoacetylene – $J = 2 \rightarrow 1$, $J = 4 \rightarrow 3$ transitions, *R. X. McGee, M. Balister and Lynette M. Newton* 585
The variation of spectral index across the radio galaxy 3C 452, *S. F. Burch* 623
Time variations of interstellar water masers: strong sources in H II regions, *L. T. Little, G. J. White and P. W. Riley* 639
The variability of flat-spectrum radio sources at 962 MHz, *D. Stannard and M. Bentley* 703
Hydrogen recombination lines at decimetric wavelengths from the direction of the Galactic Centre, *M. J. Kesteven and A. Pedlar* 731
Detection of $J = 2 \rightarrow 1$ emission of acetonitrile (CH_3CN) in Sgr B2, *G. L. Blackman, R. D. Brown, P. D. Godfrey, M. P. Bassez, A. L. Ottrey, D. Winkler and B. J. Robinson* 1P

PAGE

Neutral hydrogen in the Cartwheel, *U. Mebold, W. M. Goss and R. A. E. Fosbury* 11P
Search for radio emission from high-redshift optical QSOs, *H. S. Murdoch and D. F. Crawford* . . . 41P
Three unusual wide-spectrum H_2O sources, *W. M. Goss, R. F. Haynes, S. H. Knowles, R. A. Batchelor and K. J. Wellington* 51P
The spectrum of H1–36 (= 3U 1746 – 37?) at radio wavelengths, *C. R. Purton, D. A. Allen, P. A. Feldman and A. E. Wright* 97P
Cyanodiacetylene in W Hydrae, *R. X. McGee, Lynette M. Newton and J. W. Brooks* 91P
Observation of $J = 1 \rightarrow 0$ emission from $H^{15}NC$, *R. D. Brown, P. D. Godfrey, H. I. Gunn and G. L. Blackman and J. W. V. Storey* 87P
Detection of interstellar DNC: difficulties of chemical equilibrium hypothesis for enrichment, *P. D. Godfrey, R. D. Brown, H. I. Gunn, G. L. Blackman and J. W. V. Storey* 83P

Relativity

Optical scalars and the spherical gravitational lens, *C. C. Dyer* 231

Solar system

Aerodynamics of solid bodies in the solar nebula, *S. J. Weidenschilling* 57
Interactions in the early solar system, *J. R. Dormand and M. M. Woolfson* 243
The effects of a resisting medium on protoplanetary orbits, *J. R. Donnison and I. P. Williams* 281
The resistive effect of the solar wind on the orbits of solid bodies in the solar system, *J. R. Donnison and I. P. Williams* 289

Spectroscopy

Intensity ratios of Brackett to Balmer lines of hydrogen in gaseous nebulae, *K. Giles* 57P

Stars

The infrared fluxes of Ba II stars, *M. W. Feast and R. M. Catchpole* 61P

Stars – angular diameters of

Stellar angular diameters from infrared photometry. Application to Arcturus and other stars; with effective temperatures, *D. E. Blackwell and M. J. Shallis* 177

Stars – atmospheres of

Spectra of the low-excitation nebulosities around AG Carinae and HD 138403, *A. D. Thackeray* . . 95
Stellar gravities from metallic line profiles, with application to Arcturus. The effective temperature of Arcturus, *D. E. Blackwell and R. B. Willis* 169
Emission and absorption in circumstellar dust shells: an isothermal approach, *G. Robinson and A. R. Hyland* 495

Stars – binary

Viscosity in accretion discs and HD 101584, *D. S. Dearborn and D. N. C. Lin* 141
Observations of β Persei at 4.8 μm, *C. Sanchez Magro, J. D. Needham, J. P. Phillips and M. J. Selby* . 461
Period changes of UX Ursae Majoris, *B. V. Kukarkin* 5P

Stars – clusters of

Globular clusters and the Virgo cluster distance modulus, *David A. Hanes* 309
Magellanic Cloud investigations – V. The LMC blue cluster NGC 1854, *L. P. Connolly and W. G. Tifft* 401
On the nature of the variables in M13, *C. D. Pike and Caroline J. Meston* 613
The young cluster NGC 5367 and A1353 – 40, *P. M. Williams, P. W. J. L. Brand, A. J. Longmore and T. G. Hawarden* 709

PAGE

Stars – magnetic fields in

A hot magnetic DA white dwarf with a field of $2–4 \times 10^7$ gauss, *D. T. Wickramasinghe, J. A. J. Whelan and M. S. Bessell* 373

Stars – photometry of

Stellar angular diameters from infrared photometry. Application to Arcturus and other stars; with effective temperatures, *D. E. Blackwell and M. J. Shallis*. 177
UBV photometry and MK spectral classification of northern early-type stars at intermediate galactic latitudes, *P. W. Hill and A. E. Lynas-Gray* 691
High-speed photometry of AM Her, *J. A. Bailey, K. O. Mason and G. E. Parkes* 35P

Stars – spectroscopy of

Wolf–Rayet stars – VII. Optical spectropolarimetry of WC9 stars, *Martin Cohen and Leonard V. Kuhi* 37
Stellar gravities from metallic line profiles, with application to Arcturus. The effective temperature of Arcturus, *D. E. Blackwell and R. B. Willis*. 169
The spectrum of the T Tauri star Lk Hα 120, *M. V. Penston and Pauline M. Keavey* 407
The effects of stellar rotation on measurements from Coudé spectrograms, *D. J. Stickland* 675
A spectroscopic investigation of two DC white dwarf candidates, *A. Brown and P. W. Hill* 31P

Stars – variable

An extension of a geometric method for finding cepheid distances, *J. D. Fernie* 339
The spectrum of the T Tauri star Lk Hα 120, *M. V. Penston and Pauline M. Keavey* 407
Observational characteristics of simple radial and non-radial β Cephei models, *P. A. Stamford and R. D. Watson* 551
On the nature of the variables in M13, *C. D. Pike and Caroline J. Meston* 613
On the masses and radii of double-mode cepheids, *R. S. Stobie*. 631
Spectroscopic observation of the X-ray nova A0620 – 00, *J. A. J. Whelan, M. J. Ward, D. A. Allen, I. J. Danziger, R. A. E. Fosbury, P. G. Murdin, M. V. Penston, B. A. Peterson, E. J. Wampler and B. L. Webster*. 657
Nova Cygni 1975: wind and variations, *A. C. Fabian and J. E. Pringle* 749
High-speed photometry of AM Her, *J. A. Bailey, K. O. Mason and G. E. Parkes* 35P
Cyanodiacetylene in W Hydrae, *R. X. McGee, Lynette M. Newton and J. W. Brooks*. 91P

Supernovae and supernova remnants

The supernova of AD 1006, *F. Richard Stephenson, David H. Clark and David F. Crawford* 567
Proper motion of the Crab pulsar, *S. Wyckoff and C. A. Murray* 717

X-ray astronomy

X-ray, optical and radio data for the cluster of galaxies Klemola 44, *T. Maccacaro, B. A. Cooke, M. J. Ward, M. V. Penston and R. F. Haynes* 465
Spectroscopic observation of the X-ray nova A0620 – 00, *J. A. J. Whelan, M. J. Ward, D. A. Allen, I. J. Danziger, R. A. E. Fosbury, P. G. Murdin, M. V. Penston, B. A. Peterson, E. J. Wampler and B. L. Webster*. 657
The young cluster NGC 5367 and A1353 – 40, *P. M. Williams, P. W. J. L. Brand, A. J. Longmore and T. G. Hawarden* 709
Discovery of two periodic X-ray pulsators, *H. E. Huckle, K. O. Mason, N. E. White, P. W. Sanford, L. Maraschi, M. Tarenghi and S. Tapia* 21P
Observations of the LMC X-ray sources with the *Ariel V* Sky Survey Instrument, *R. E. Griffiths and F. D. Seward* 75P

MONTHLY NOTICES: NOTICE TO AUTHORS

1 GENERAL. All papers communicated for publication in *Monthly Notices* or *Memoirs* are submitted to the scrutiny of referees. There is no page charge for publication in *Monthly Notices* but there is usually a charge of £20.00 a page for papers published in MEMOIRS. The Society holds the copyright of all papers published in its Journals.

2 PREPARATION OF PAPERS. Authors are allowed considerable latitude, but they are requested to follow the general style of recent issues of *Monthly Notices*. They should attend particularly to:

a the provision of a summary of not more than 200 words;

b the division of a paper into sections and, if necessary, sub-sections;

c the annotation of the typescript so as to give the printer all possible guidance in setting the paper, with special reference to ambiguous and unusual symbols, sub- and superscripts, and the placing of diagrams and tables.

The preparation of extensive tabular, diagrammatic or photographic material should be discussed with the Editors at an early stage in the preparation of the paper, in order to determine the most appropriate form of its presentation. A title should be provided for each table and diagram.

Three copies of each paper should be submitted. One copy should be typewritten double-spaced on one side of the paper only, leaving a one inch margin on the left-hand side. The other two copies should be in a *weight-reduced* form such as on flimsy paper, reduced to half size or copied on both sides of the page. The first page of the typescript should contain the full postal address of the author(s) to appear on the paper and the address to which proofs are to be sent if that is different.

3 DIAGRAMS should be drawn in black ink on tracing material or smooth white board, with a line weight and lettering suitable for reduction to fit the type area of *Monthly Notices*. Drawings for reduction to 1/3, 1/2 or 7/10 of their original size, require line weight and lettering of the following thicknesses and sizes respectively:



Reductions are linear, and authors are reminded that the space between parts of a diagram as well as lines and lettering, are reduced. Adequate allowance should be made for this to avoid the joining up, during blockmaking, of parts which are close together. If a diagram has to be redrawn a standard charge will usually be made for this service (at present £5.50).

Two rough copies of diagrams should be provided for the use of the Editors and Referees.

4 PHOTOGRAPHS to be reproduced as half-tone plates are acceptable only if they are essential. Glossy unmounted prints should be submitted. Copies are required for the use of the Editors and Referees.

5 ABBREVIATIONS and references should preferably follow the practice set out in *I.A.U. Trans. XII* (*c*) or. if not available in that volume, the *World List of Scientific Periodicals*.

6 PROOFS. Authors are liable for the cost of alterations in excess of 50p per page. It is therefore in their own, as well as the Society's interest, to seek the maximum conciseness and simplification of symbols and equations consistent with clarity. Proofs should be returned within three days of receipt.

7 SHORT COMMUNICATIONS. These should merit *urgent* publication and should not, as a rule, exceed 1500 words. Such papers will normally be published between seven and ten weeks after acceptance. The Editors will themselves under take responsibility for correcting proofs of such papers. Twenty-five offprints will be automatically supplied to the author(s) without charge; additional offprints may be obtained at prevailing rates, provided the order for extra copies is placed when the paper is submitted.

Papers in this category will be included as part of a routine issue of *Monthly Notices;* they will be printed on tinted paper and carry a special pagination which will enable them to be boundup together at the end of each volume.

Monthly Notices

OF THE R.A.S. VOL. 180 NO. 3 SEPTEMBER 1977

CONTENTS

491 *Lennox L. Cowie:* An investigation of the stability of the Bondi–Hoyle model of accretion flow

495 *G. Robinson and A. R. Hyland:* Emission and absorption in circumstellar dust shells: an isothermal approach

525 *J. V. Narlikar and S. M. Chitre:* Applications of statistical techniques to the angular size–flux density relation for extragalactic radio sources

539 *M. A. Scott and A. C. S. Readhead:* The low-frequency structure of powerful radio sources and limits to departures from equipartition

551 *P. A. Stamford and R. D. Watson:* Observational characteristics of simple radial and non-radial β Cephei models

567 *F. Richard Stephenson, David H. Clark and David F. Crawford:* The supernova of AD 1006

585 *R. X. McGee, M. Balister and Lynette M. Newton.* Interstellar cyanoacetylene – $J=2\rightarrow1$, $J=4\rightarrow3$ transitions

593 *H. J. Fahr and B. Weidner:* Gas evaporation from collision-determined planetary exospheres

613 *C. D. Pike and Caroline J. Meston:* On the nature of the variables in M13

623 *S. F. Burch:* The variation of spectral index across the radio galaxy 3C 452

631 *R. S. Stobie:* On the masses and radii of double-mode cepheids

639 *L. T. Little, G. J. White and P. W. Riley:* Time variations of interstellar water masers: strong sources in H II regions

657 *J. A. J. Whelan, M. J. Ward, D. A. Allen, I. J. Danziger, R. A. E. Fosbury, P. G. Murdin, M. V. Penston, B. A. Peterson, E. J. Wampler and B. L. Webster:* Spectroscopic observations of the X-ray nova A0620−00

675 *D. J. Stickland:* The effects of stellar rotation on measurements from Coudé spectrograms

683 *J. P. Liddy, C. G. Freeman and M. J. McEwan:* Laboratory investigation of some ion–molecule reactions related to cyanide chemistry in dense interstellar clouds

691 *P. W. Hill and A. E. Lynas-Gray: UBV* photometry and MK spectral classification of northern early-type stars at intermediate galactic latitudes

703 *D. Stannard and M. Bentley:* The variability of flat-spectrum radio sources at 962 MHz

709 *P. M. Williams, P. W. J. L. Brand, A. J. Longmore and T. G. Hawarden:* The young cluster NGC 5367 and A1353−40

717 *S. Wyckoff and C. A. Murray:* Proper motion of the Crab pulsar

731 *M. J. Kesteven and A. Pedlar:* Hydrogen recombination lines at decimetric wavelengths from the direction of the Galactic Centre

749 *A. C. Fabian and J. E. Pringle:* Nova Cygni 1975: wind and variations

Short Communications

81P *R. D. Cannon, T. G. Hawarden and S. B. Tritton:* A new Sculptor-type dwarf elliptical galaxy in Carina

83P *P. D. Godfrey, R. D. Brown, H. I. Gunn, G. L. Blackman and J. W. V. Storey:* Detection of interstellar DNC: difficulties of chemical equilibrium hypothesis for enrichment

87P *R. D. Brown, P. D. Godfrey, H. I. Gunn, G. L. Blackman and J. W. V. Storey:* Observation of $J=1\rightarrow0$ emission from $H^{15}NC$

91P *R. X. McGee, Lynette M. Newton and J. W. Brooks:* Cyanodiacetylene in W Hydrae

97P *C. R. Purton, D. A. Allen, P. A. Feldman and A. E. Wright:* The spectrum of H1−36 (=3U 1746−37?) at radio wavelengths

Annual subscription £120.00 (*Overseas* £140.00 *U.S.* $295.00),
Printed in Dorking by Adlard & Son Ltd, Bartholomew Press, 1977